




## Swati Motor Slide Base

Swati Motor Slide Bases are available for motor Frame Size 63 to 315. Whenever drive belt or chain tightening is required, on a periodic basis to compensate for wear, temperature changes, or simply belt stretching after installation. Our range of motor slide bases can simplify the process and minimize down-time.

Loose - drive belts, chains or friction drives, can give rise to accelerated wear, reduced life, reduced operating efficiency and loss of power transmission. The use of MSB's can allow adjustments without the need for guard removal and without tying up skilled plant engineering staff.

All of the motor slide bases are constructed from heavy gauge galvanized steel sheets with no welded elements for long term corrosion resistance.

The compact design can be used with all types of motors from all manufacturers and provide lifetime cost benefits compared to 'old fashioned' slide rail systems.



### SWATI MOTOR SLIDE BASE

Product Code	A	B Min.	B Max.	C	D	E	F	G	H	J	K
270-63/90	98	100	222.5	10.5	195	33	70	270	19	143	25
430-100/132	165	136	380	12.5	290	40	95	430	22	215	30
490A-160/180	245	140	429	15	370	40	110	490	22	283	30
490-180/200	284	110	414	15	410	40	95	490	22	313	30


Regd. Office & Factory:

F-57, M.I.D.C., Gokul Shirgaon, Kolhapur - 416 234, Maharashtra, India

Tel.: +91 - 231 - 2672055 Fax : +91 - 231 - 2671021 email : klp\_pulley@sanchamel.in

Visit us at [www.swatipulley.com](http://www.swatipulley.com)





### SWATI MOTOR SLIDE BASE

Product Code	A	B1	B2	B3	C	D	E	F	G	H	J	K
270-63/90-MP	98	100	125	140	10.5	194	33	190	270	19	132	20
307-90/112-MP	108	140	160	190	10.5	213	33	255	307	19	162	30
340-100/132-2-MP	165	160	190	216	12.5	290	40	286	340	22	215	30
430-100/132-2-MP	165	160	190	216	12.5	290	40	286	430	22	215	30
430-160/180-2-MP	248	—	254	279	12.5	370	40	379	430	22	287	30
490-160/180-MP	248	—	254	279	12.5	370	40	379	490	22	287	30
490-180/200-MP	285	—	279	318	17	410	40	420	490	22	329	30
585-200/225-MP	300	—	318	356	17	450	50	468	585	22	352	30
600-250-MP	320	—	—	406	22	470	65	515	600	22	369	30
735-280-MP	420	—	—	457	22	570	65	585	735	22	460	30
800-315-MP	520	—	—	508	28	760	80	653	800	27	560	30

Regd. Office & Factory:

F-57, M.I.D.C., Gokul Shirgaon, Kolhapur - 416 234, Maharashtra, India

Tel.: +91 - 231 - 2672055 Fax : +91 - 231 - 2671021 email : klp\_pulley@sanchamet.in

Visit us at [www.swatipulley.com](http://www.swatipulley.com)

